

# 3X Magnifier



## 1. Description

The 3X Magnifier is adapted for the holographic, red dot scope, It's doubled in series with the scope to achieve both far and near combat.

## 2. Product Features

- Ultrashort optical system, smaller size;
- Holographic aluminum alloy cutting, higher strength;
- Open locking mechanism, disassembly more convenient;
- With automatic locking adjustment mechanism, long-term shooting will not offset the field of view;

### 3. Specification

|                        |                         |                              |
|------------------------|-------------------------|------------------------------|
| Product Name           | 3X Magnifier            |                              |
| Optical Properties     | Magnification           | 3X                           |
|                        | Field of view           | 8°                           |
|                        | Parallax                | 1'                           |
|                        | Objective diameter      | 21.8mm                       |
|                        | Visual adjustment range | +2~-5D                       |
|                        | Exit pupil diameter     | 6.3mm                        |
|                        | Exit pupil distance     | 60mm                         |
|                        | adjustment range        | ±45MOA (elevation / azimuth) |
| Mechanical Parameters  | Material                | Aviation aluminum 7075       |
|                        | Processing methods      | CNC cutting                  |
|                        | Surface treatment       | Black oxide                  |
|                        | Center height           | 38mm                         |
|                        | Base                    | Picatinny rail               |
|                        | Dimensions              | 78.7 x 58.4 x 83.8 mm        |
|                        | Weight                  | 330g                         |
| Environment Parameters | Operating temperature   | -40℃~+65℃                    |
|                        | Storage temperature     | -45℃~+70℃                    |
|                        | Waterproof level        | IP67                         |

#### 4. Detailed Pictures



- *Flip effect*



- *Connect with holography sight*



- *Connect with red dot sight*